

Estd. 1966



DELIVERING TO THE WORLD

Pulse Oximeter Desktop With NIBP LED Display (MODEL NO : IEPO 110)



Pulse Oximeter Desktop With NIBP Supplied by Desco Medical India



Decide with Confidence

Pulse Oximeter Desktop with NIBP LED Display

Estd. 1966



DELIVERING TO THE WORLD



www.descomedicalindia.com

www.descoonline.in



Pulse Oximeter Desktop With NIBP LED Display (MODEL NO : IEPO 110)



Specification:-

Pulse Oximeter is used to measure the oxygen level in blood and heart rate for people with COPD, asthma, Congestive Heart Failure (CHF) .

DISPLAY

- 7 segment LEDS for systolic pressure, diastolic pressure SPO2 and pulse rate
- 2.4" color LED for waveforms, bargraphic, trend and system menu
- Weight :1.15 kg I Dimension : 232 mm x 198 mm x 75 mm

NIBP

- Method : Oscillometry
- Operation modes : Manual/Automatic
- Auto Measure time : 1~250 minutes adjustable, interval 5 minutes
- Measurement range :10~270mmHg
- Over pressure protection : Yes
- Alarm : Systolic, Diastolic, Mean, PR, SPO2
- High bright LEDS display of NIBP,SPO2 and pulse rate
- High resolution color LED for trend tabular and SPO2 waveforms display
- Manual/auto/continuous measurement of NIBP
- Adjustable audible and visual Alarms
- Up to 2000 groups NIBP data storage or SPO2 data up to 10 hours
- Suitable for adult, pediatric and neonatal patient

PULSE RATE

- Range: 25~250bpm
- Resolution: 1bpm
- Accuracy: ± 2 bpm or $\pm 2\%$ (select larger)
- Net Wight : 1.6 kg
- Dimension : 240 mm x 190 mm x 162 mm

SPO2

- Measurement Range : 0~100%
- Resolution : 1%
- Accuracy : 70~100% $\pm 2\%$, 0~69% unspecified
- Alarm range : 0~100%

We are Exporters and Suppliers of Pulse Oximeter Desktop With NIBP LED Display at wholesale competitive prices from India.

MODEL NO

IEPO 110 **Pulse Oximeter Desktop With NIBP LED Display**